

# Safety Data Sheet (SDS)

Industrial Use Only

# 1. Product and Company Identification

**Product:** 

**Product Name:** SS-25 Electrically Conductive Silicone RTV

**Intended Use:** Sealant

Manufacturer/Supplier:

Silicone Solutions 338 Remington Road Cuyahoga Falls, OH **Preparer:** Casey Linx

Chemical Family: Silicone Rubber

**Emergency Telephone Number:** 330-920-3125

### 2. Hazards Identification

#### **Hazard Classification:**

This material's composition is minimally hazardous according to regulatory guidelines. See Section 15 for hazard ratings.

Label: None required.

## **Hazard Statements:**

Physical: None known

Health:

Ingestion	None known.				
Skin Contact	May cause mild skin irritation. Manufacturing experience has shown that skin				
	hazard is not applicable in this form.				
Inhalation	None known.				
Eye Contact	May cause mild eye irritation.				
Medical Conditions Aggravated	None known.				
Subchronic (target organ) Effects	None known.				
Chronic Effects/Carcinogenity	This product or one of its ingredients that is present in 0.1% or more is NOT				
	listed or is suspected as a carcinogen by NTP, IARC, or OSHA.				
<b>Principle Routes of Exposure</b>	None known.				

### **Precautionary Statements:**

General: Obtain special instructions before use, and do not handle until all safety precautions have been read and understood.

#### **Other Hazard Information:**

• This product contains methylpolysiloxanes, which can generate formaldehyde upon exposure above 300 degrees centigrade in atmospheres that contain oxygen. Formaldehyde is a skin, eye, and throat irritant.

## 3. Composition/Information on Ingredients

#### **Chemical Characterization:**

Formula: Mixture

Composition and Information on Ingredients: Non-hazardous components of the mixture unless otherwise specified.

Component	CAS#	Approximate % Weight	
Polydimethylsiloxane, silanol terminated	70131-67-8	25-35	
Trade Secret Component		1-5	
Polydimethylsiloxane, trimethyl terminated	63148-62-9	5-9	
Vinyl Oximino Silane	2224-33-1	0.1-1.5	
Modified Silicon Dioxide	68611-44-9	2-4	
Aminosilane	919-30-2	0-2	
Nickel Powder	7440-02-0	25-45	
Graphite	7782-42-5	8-24	

## 4. First Aid Measures

### **General Information:**

**Ingestion:** None known.

**Skin:** Wash with soap and water.

**Inhalation:** None known.

In case of eye contact: Flush with water for fifteen minutes and get medical attention.

**Note to Physician:** None known.

# 5. Firefighting Measures

### Flammability Properties:

Flash Point: >315°C or 600°F

Method: COC

**Ignition Temperature:** Unknown

Flammable Limits in Air-Upper %: NA Flammability Limits in Air-Lower %: NA Sensitivity to Mechanical Impact: No Sensitivity to Static Discharge: No

**Extinguishing Media:** All standard firefighting material.

**Special Firefighting Procedures:** None known.

## 6. Accidental Release Measures

**Action to be taken if material is released or spilled:** Scrape up and place in an inert material for disposal. *See Section 8 for protective equipment upon exposure and Section 7 for information on safe handling.* 

## 7. Handling and Storage

**Precautions to be taken during handling and storage:** Cure only where appropriate ventilation systems exist, as seen in *Section 8*.

## 8. Exposure Controls/Personal Protection

#### **Control Parameters:**

Components with limit values that require monitoring at the workplace:

Component	CAS#	ACGIH	TLV	OSHA	PEL
		TWA	STEL	TWA	STEL
Polydimethylsiloxane, silanol terminated	70131-67-8	NE	NE	NE	NE
Trade Secret Component		NF	NE	NF	NE
Polydimethylsiloxane, trimethyl terminated	63148-62-9		NE		NE
Vinyl Oximino Silane	2224-33-1	NE	NE	NE	NE
Modified Silicon Dioxide	68611-44-9	6 mg/m <sup>3</sup>	10 mg/m <sup>3</sup>	6 mg/m <sup>3</sup>	10 mg/m <sup>3</sup>
Aminosilane	919-30-2	NE	NE	NE	NE
Nickel Powder	7440-02-0	2 mg/m <sup>3</sup>	2 mg/m <sup>3</sup>	2 mg/m <sup>3</sup>	15 mg/m <sup>3</sup>
Graphite	7782-42-5	$3.5 \text{ mg/m}^3$	$3.5 \text{ mg/m}^3$	$3.5 \text{ mg/m}^3$	$3.5 \text{ mg/m}^3$

Note: All solid powders are fully encapsulated in the cured and uncured product and are not hazardous in this form.

**Note:** Oximino Silanes form Methyl Ethyl Ketoxime upon contact with atmospheric moisture. Provide adequate ventilation to control exposures within the following exposure guidelines: *Vendor Guide TWA: 3 ppm, Vendor Guide STEL: 10 ppm,* 

AIHA WEEL TWA: 10 ppm

### **Exposure Controls and Protection:**

**Engineering Controls:** None known. **Respiratory Protection:** None required. **Protective Gloves:** Cloth gloves.

Eye and Face Protection: Safety glasses.

Other Protective Equipment: None required.

Ventilation: Cure in well-ventilated areas.

# 9. Physical and Chemical Properties

#### Information on basic physical and chemical properties:

Boiling Point: NA Vapor Pressure: NA Vapor Density: NA Freezing Point: NA Melting Point: NA Physical State: Paste.

Odor: Mild.

% Volatile by Volume: < 1 Evaporation Rate: < 1 Specific Gravity: 2.29 Density (kg/m³): 2290 Acid/Alkalinity: Unknown

pH: NA VOC: NT

Solubility in Water: Insoluble.

Solubility in Organic Solvents: Partially soluble in toluene.

## 10. Stability and Reactivity

### **Chemical Stability:**

Stability: Stable.

#### **Reactivity:**

Hazardous Polymerization: Will not occur.

**Hazardous Thermal Decomposition/Combustion Products:** 

- Carbon Dioxide
- Carbon Monoxide
- Silicon Dioxide
- Formaldehyde

Conditions to Avoid: None known.

## 11. Toxicological Information

### **Product Information on Toxicological Effects:**

Acute Oral LD50: Unknown.
Acute Dermal LD50: Unknown.
Acute Inhalation LC50: Unknown.

Ames Test: Unknown.

## 12. Ecological Information

**Ecotoxicity:** 

**Ecotoxicological Information:** Unknown. **Chemical Fate Information:** Unknown.

## 13. Disposal Considerations

**Disposal Method:** Disposal should be made in accordance with federal, state, and local considerations.

# 14. Transport Information

#### General:

**DOT Shipping Name: NA** 

**DOT Hazard Class:** Not DOT regulated

DOT Label: NA UN/NA Label: NA Placards: None IATA: NA

IMO IMDG-code: NA European Class: RID (OCTI): NA ADR (ECE): NA RAR (IATA): NA

# 15. Regulatory Information

## Regulatory Status and Applicable Laws and Regulations:

SARA Section 302: None found. SARA (311, 312) Hazard Class: None. SARA (313) Chemicals: None. **CPSC Classification:** NA WHMIS Hazard Class: None.

**Export Schedule:** 

B/HTSUS: 3910.00 Silicones in primary form.

ECCN: EAR99

**California Proposition 65:** None.

TSCA Inventory Status: All components of this product are listed (or exempt) on the EPA TSCA inventory.

### **Hazard Rating Systems:**

#### HMIS (scale 0-4):

- Health = 1
- Flammability = 0
- Reactivity = 0

#### NFPA (scale 0-4):

- Health = 1
- Flammability = 0
- Reactivity = 0

### 16. Other Information

**Revision Date:** 06/20/2016 **SDS Preparer:** Casey Linx

This product or its components are on the European inventory (EINECS) of existing commercial chemicals. This data is offered in good faith as typical values and not as a product satisfaction. No warranty, either expressed or implied, is made. The recommended handling procedures are believed to be generally applicable. However, each user should review these recommendations in the specific content of the intended use.

### **Abbreviations and Acronyms:**

**OSHA:** Occupational Safety and Health Administration

**ACGIH:** American Conference of Governmental Industrial Hygienists

LD50: Lethal Dose, 50 percent

LC50: Lethal Concentration, 50 percent **DOT:** US Department of Transportation

**IATA:** International Air Transport Association

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the

International Carriage of Dangerous Goods by Road) **IMDG:** International Maritime Code for Dangerous Goods

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)